Richest Group
No. 999, Jiangyue Rd, Minhang, Shanghai 201114, China
Tel: 0086 21 5017 5386
E-mail: inquiry@richest-group.com
Web: www.richest-group.com

PRODUCT SPECIFICATION

产品规格书

Product Name	PVC Resin HS1300	**Grade / Model**	HS1300
CAS No.	9002-86-2	**Executive Standard**	GB/T 5761-2018
Revision Date	2026-10-28	**HS Code**	39041090

No.	Item	Specification
1	Appearance	White powder
2	Viscosity	127 - 135 mL/g
3	K-value	71 - 72
4	Impurity Particle Number	<= 30 pcs
5	Volatiles (incl. water)	<= 0.40 %
6	Bulk Density	>= 0.42 g/mL
7	Sieve Ratio 0.25mm	<= 2.0 %
8	Sieve Ratio 0.063mm	>= 90 %
9	Fish Eyes (/400cm2)	<= 40
10	Plasticizer Absorption of 100g Resin	>= 25 g
11	Conductivity of Extracted Aqueous Solution	<= 5 uS/cm.g
12	Whiteness (160°C, 10min)	>= 75 %
13	Residual VCM	<= 10 ppm

Remarks: Packing: 25 kg/bag, or according to customer demand. Storage: cool, dry and ventilated area.

The above values are the standard specifications of the product supplied by Richest Group Ltd. A Certificate of Analysis (COA) with actual test results can be provided for each batch upon request.