**Richest Group**
No. 999, Jiangyue Rd, Minhang, Shanghai 201114, China
Tel: 0086 21 5017 5386
E-mail: inquiry@richest-group.com
Web: www.richest-group.com

# PRODUCT SPECIFICATION

产品规格书

| | | | |
|---|---|---|---|
| **Product Name** | PVC Resin SG-8 | **Grade / Model** | SG-8; Ethylene Process |
| **CAS No.** | 9002-86-2 | **Executive Standard** | GB/T 5761-2018 |
| **Revision Date** | 2026-11-16 | **HS Code** | No data available |

| No. | Item | Specification |
|---|---|---|
| 1 | Appearance | White powder |
| 2 | Viscosity Number | 73–86 mL/g |
| 3 | Number of Impurity Particles | ≤20 pcs |
| 4 | Volatile Matter | ≤0.40% |
| 5 | Apparent Density | ≥0.52 g/mL |
| 6 | Residual After Sieve 0.250 mm | ≤1.6% |
| 7 | Residual After Sieve 0.063 mm | ≥97% |
| 8 | Fish Eyes | ≤30 pcs |
| 9 | Plasticizer Absorbency Value of 100 g PVC | ≥12 g |
| 10 | Whiteness (160°C, 10 min) | ≥75% |
| 11 | Residual VCM | ≤5 μg/g |

**Remarks:** Packing: 25 kg/bag, or according to customer demand. Storage: Cool, dry and ventilated area

Specification basis: Supplier COA/TDS specifications; public sources supplement the safety information. Final supply subject to Richest COA.