**Richest Group**
No. 999, Jiangyue Rd, Minhang, Shanghai 201114, China
Tel: 0086 21 5017 5386
E-mail: inquiry@richest-group.com
Web: www.richest-group.com

# PRODUCT SPECIFICATION

产品规格书

| | | | |
|---|---|---|---|
| **Product Name** | PVC Resin SG-5 | **Grade / Model** | SG-5 |
| **CAS No.** | 9002-86-2 | **Executive Standard** | GB/T 5761-2018 |
| **Revision Date** | 2026-10-27 | **HS Code** | 39041090 |

| No. | Item | Specification |
|---|---|---|
| 1 | Appearance | White powder |
| 2 | Viscosity Number | 107 - 118 mL/g |
| 3 | Number of Impurity Particles | <= 16 pcs |
| 4 | Volatile Matter | <= 0.40 % |
| 5 | Apparent Density | >= 0.48 g/mL |
| 6 | Residual After Sieve 0.250mm | <= 1.6 % |
| 7 | Residual After Sieve 0.063mm | >= 97 % |
| 8 | Fish Eyes | <= 20 pcs |
| 9 | Plasticizer Absorbency Value of 100g PVC | >= 19 g |
| 10 | Whiteness Degree | >= 78 % |
| 11 | Residual VCM | <= 5 ug/g |

**Remarks:** Packing: 25 kg/bag, or according to customer demand. Storage: cool, dry and ventilated area.

The above values are the standard specifications of the product supplied by Richest Group Ltd. A Certificate of Analysis (COA) with actual test results can be provided for each batch upon request.